


Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY CLIENT-MATTER NO: 66872-032 (P-AR 5750)	SERIAL NO. 10/620,289
	APPLICANT: Liang and Woodward	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: July 14, 2003	GROUP: Unassigned CONFIRMATION NO.: Unassigned

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
<i>[initials]</i>	5,869,281	2/9/99	Abramovitz et al.	435	69.1	6/25/93
<i>[initials]</i>	6,329,426	12/11/01	Ueno	514	530	12/28/98
<i>[initials]</i>	6,416,972	7/9/02	Lake et al.	435	69.1	6/23/97
<i>[initials]</i>	6,492,417	12/10/02	Sharif et al.	514	530	12/14/98
<i>[initials]</i>	6,511,999	1/28/03	Burk et al.	514	374	2/8/02

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

<i>[initials]</i>	Abramovitz et al., "Cloning and expression of a cDNA for the human prostanoid FP receptor," <u>J. Biol. Chem.</u> 269:2632-2636 (1994).
<i>[initials]</i>	Anderson et al., "Prostaglandin F _{2α} receptor in the corpus luteum: Recent information on the gene, messenger ribonucleic acid, and protein," <u>Biology of Reproduction</u> 64:1041-1047 (2001).
<i>[initials]</i>	Anderson et al., "Prostaglandin moieties that determine receptor binding specificity in the bovine corpus luteum," <u>J. Reprod. Fertil.</u> 116:133-141 (1999).
<i>[initials]</i>	Betz et al., "Genomic structure, 5' flanking sequences, and precise localization in 1P31.1 of the human prostaglandin F receptor gene," <u>Biochem. Biophys. Res. Commun.</u> 254:413-416 (1999).
<i>[initials]</i>	Bhattacharya et al., "Nuclear prostaglandin receptors," <u>Gene Ther. Mol. Biol.</u> 4:323-338 (1999).

-Page 1 of 4-

EXAMINER DATE CONSIDERED: *8/21/06*

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

2	Boiti et al., "Nitric oxide synthase activity and progesterone release by isolated corpora lutea of rabbits in the early and mid-luteal phases of pseudopregnancy are modulated differently by prostaglandin E-2 and prostaglandin F-2alpha via adenylate cyclase and phospholipase C," <u>J. Endocrinol.</u> 164:179-186 (2000).
2	Carrasco et al., "Activation of the prostaglandin FP receptor in human granulosa cells," <u>J. Reprod. Fertil.</u> 111:309-317 (1997).
2	Chen et al., "Prostaglandin F2alpha stimulates the Raf/MEK1/mitogen-activated protein kinase signaling cascade in bovine luteal cells," <u>Endocrinology</u> 139:3876-3885 (1998).
2	Davis et al., "Prostaglandin F2 alpha stimulates phosphatidylinositol 4,5-bisphosphate hydrolysis and mobilizes intracellular Ca2+ in bovine luteal cells," <u>Proc. Natl. Acad. Sci. USA</u> 84:3728-3732 (1987).
2	Duncan et al., "Chromosomal localization of the human prostanoid receptor gene family," <u>Genomics</u> 25:740-742 (1995).
2	Ezashi et al., "Genomic organization and characterization of the gene encoding bovine prostaglandin F2alpha receptor," <u>Gene</u> 190:271-278 (1997).
2	Fu et al., "Peroxisome proliferator-activated receptor gamma inhibits transforming growth factor beta-induced connective tissue growth factor expression in human aortic smooth muscle cells by interfering with Smad3," <u>J. Biol. Chem.</u> 276:45888-45894 (2001).
2	Fujino et al., "Delayed reversal of shape change in cells expressing FP(B) prostanoid receptors. Possible role of receptor resensitization," <u>J. Biol. Chem.</u> 275:29907-29914 (2000).
2	Graves et al., "Cloning of a receptor for prostaglandin F2 alpha from the ovine corpus luteum," <u>Endocrinology</u> 136:3430-3436 (1995).
2	Griffin et al., "FP prostaglandin receptors mediating inositol phosphates generation and calcium mobilization in Swiss 3T3 cells: A pharmacological study," <u>J. Pharmacol. Exp. Ther.</u> 281:845-854 (1997).
2	Gusovsky, "Prostaglandin receptors in NIH 3T3 cells: Coupling of one receptor to adenylate cyclase and of a second receptor to phospholipase C," <u>Mol. Pharmacol.</u> 40:633-638 (1991).
2	Hasumoto et al., "Characterization of the mouse prostaglandin F receptor gene: A transgenic mouse study of a regulatory region that controls its expression in the stomach and kidney but not in the ovary," <u>Genes Cells</u> 2:571-580 (1997).
2	Ishikawa et al., "Mapping of the genes encoding mouse prostaglandin D, E, and F and prostacyclin receptors," <u>Genomics</u> 32:285-288 (1996).
2	Juengel et al., "Regulation of steady-state concentrations of messenger ribonucleic acid encoding prostaglandin F2 alpha receptor in ovine corpus luteum," <u>Biol. Reprod.</u> 54:1096-1102 (1996).
2	Kiriyama et al., "Ligand binding specificities of the eight types and subtypes of the mouse prostanoid receptors expressed in Chinese hamster ovary cells," <u>Br. J. Pharmacol.</u> 122:217-224 (1997).
2	Kitanaka et al., "Cloning and expression of a cDNA for rat prostaglandin F2 alpha receptor," <u>Prostaglandins</u> 48:31-41 (1994).
2	Lake et al., "Cloning of the rat and human prostaglandin F2 alpha receptors and the expression of the rat prostaglandin F2 alpha receptor," <u>FEBS Lett.</u> 355:317-325 (1994).

2	Liang et al., "Comparison of PGF2 α , Bimatoprost (prostanamide) and butaprost (EP2 agonist) on Cyr61 and CTGF gene expression," <u>J. Biol. Chem.</u> 278:27267-27277 (2003).
2	Liu et al., "PLD activation in Chinese hamster ovary (CHO) cells transfected with PGF2 alpha receptor cDNA," <u>Prostaglandins</u> 51:233-248 (1996).
2	Narumiya and FitzGerald, "Genetic and pharmacological analysis of prostanoid receptor function," <u>J. Clin. Invest.</u> 108:25-30 (2001).
2	Niswender et al., "Mechanisms controlling the function and life span of the corpus luteum," <u>Physiol. Rev.</u> 80:1-29 (2000).
2	Ogawa et al., "Structural organization and chromosomal assignment of the human prostacyclin receptor gene," <u>Genomics</u> 27:142-148 (1995).
2	Pierce and Regan, "Prostanoid receptor heterogeneity through alternative mRNA splicing," <u>Life Sciences</u> 62:1479-1483 (1998).
2	Pierce et al., "Activation of FP prostanoid receptor isoforms leads to Rho-mediated changes in cell morphology and in the cell cytoskeleton," <u>J. Biol. Chem.</u> 274:35944-35949 (1999).
2	Pierce et al., "Cloning of a carboxyl-terminal isoform of the prostanoid FP receptor," <u>J. Biol. Chem.</u> 272:883-887 (1997).
2	Sakamoto et al., "Expression of mRNA encoding the prostaglandin F2 alpha receptor in bovine corpora lutea throughout the oestrous cycle and pregnancy," <u>J. Reprod. Fertil.</u> 103:99-105 (1995).
2	Sakamoto et al., "Molecular cloning and expression of a cDNA of the bovine prostaglandin F2 alpha receptor," <u>J. Biol. Chem.</u> 269:3881-3886 (1994).
2	Sakamoto et al., "Prostaglandin F2 alpha receptor," <u>J. Lipid Mediat. Cell Signal</u> 12:405-411 (1995).
2	Stjernschantz et al., "Microvascular effects of selective prostaglandin analogues in the eye with special reference to latanoprost and glaucoma treatment," <u>Prog. Retin. Eye Res.</u> 19:459-496 (2000).
2	Sugimoto et al., "Cloning and expression of a cDNA for mouse prostaglandin F receptor," <u>J. Biol. Chem.</u> 269:1356-1360 (1994).
2	Susanna et al., "Current status of prostaglandin theory: Latanoprost and unoprostone," <u>Surv. Ophthalmol.</u> 47:S97-104 (2002).
2	Taketo et al., "Mapping of the genes encoding mouse thromboxane A2 receptor and prostaglandin E-receptor subtypes EP2 and EP3," <u>Genomics</u> 19:585-588 (1994).
2	Tsai et al., "Distinct mechanisms regulate induction of messenger ribonucleic acid for prostaglandin (PG) G/H synthase-2, PGE (EP3) receptor, and PGF2 alpha receptor in bovine preovulatory follicles," <u>Endocrinology</u> 137:3348-3355 (1996).
2	Tsai et al., "Regulation of prostaglandin F2 alpha and E receptor mRNA by prostaglandin F2 alpha in ovine corpora lutea," <u>J. Reprod. Fertil.</u> 114:69-75 (1998).
2	Tsai and Wiltbank, "Prostaglandin F2 alpha regulates distinct physiological changes in early and mid-cycle bovine corpora lutea," <u>Biol. Reprod.</u> 58:346-352 (1998).
2	Uemura et al., "Identification of a new enhancer in the promoter region of human TR3 orphan receptor gene. A member of steroid receptor superfamily," <u>J. Biol. Chem.</u> 270:5427-5433 (1995).

4/21/06

2	Weinreb et al., "Effects of prostaglandins on the aqueous humor outflow pathways," <u>Surv. Ophthalmol.</u> 47:S53-64 (2002).
2	Wiltbank et al., "Hormonal regulation of free intracellular calcium concentrations in small and large ovine luteal cells," <u>Biol. Reprod.</u> 41:771-778 (1989).
2	Woodward et al., "The molecular biology and ocular distribution of prostanoid receptors," <u>Surv. Ophthalmol.</u> 41:S15-21 (1997).
2	Woodward and Lawrence, "Identification of a single (FP) receptor associated with prostanoid-induced Ca ²⁺ signals in Swiss 3T3 cells," <u>Biochem. Pharmacol.</u> 47:1567-1574 (1994).
2	Genbank Accession No. AAB36298
2	Genbank Accession No. AAL36977
2	Genbank Accession No. AB083784
2	Genbank Accession No. AB083785
2	Genbank Accession No. AB083786
2	Genbank Accession No. AB083787
2	Genbank Accession No. AB083788
2	Genbank Accession No. AL136324.6
2	Genbank Accession No. BAA20871
2	Genbank Accession No. BG196146
2	Genbank Accession No. BG199710
2	Genbank Accession No. BG208551
2	Genbank Accession No. BG209077
2	Genbank Accession No. BG218035
2	Genbank Accession No. BG220560
2	Genbank Accession No. NM_000959
2	Genbank Accession No. NP_037247
2	Genbank Accession No. P43117
2	Genbank Accession No. Q28905